


## APPLICATION INSTRUCTION

STEP 1




Create your design and output to your laser printer or laser copier.

STEP 2



Pre press your garment between 3-5 sec. to remove any creases or moisture.

STEP 3



Position STAHL'S' transfer paper on your textile.

STEP 4



Apply and peel (parameters down).

## APPLICATION DATA

Name	for	Temperature	Time	Pressure	Remove carrier	Re-press	Recommended for	washable up to
Easy Deluxe	CLC	200° C	10 – 15 sec.	medium	immediately hot	10 sec	Cotton, Cotton-Blends	30° C

## TECHNICAL INFORMATIONS

### INSTRUCTION FOR PRINTING ON TRANSFERS

Feed each sheet individually into the copier and use the setting for 'heavy paper'.

**NOTE:** The design always has to be mirrored!

### INSTRUCTION FOR APPLICATIONS ON TEXTILES

Place the CLC Paper on your garment/mug with the colour layer facing downwards. Please use for reapply a Grip-coversheet!